






TENNIS POSTS & NETS

quality USA manufactured



Tennis Nets and Accessories

CONSISTENT QUALITY:

With Douglas® nets, you get consistent, long-lasting performance. All Douglas® nets meet USA or USAPA's requirements for official net sizes. In addition, Douglas® nets carry a pro-rated warranty guaranteeing superior durability and longer net life. See for yourself why Douglas® nets are the brand of choice. All nets include lacing cord. Center straps are sold separately.

NETTING:

Netting is 1-3/4" square mesh braided solid core polyethylene unsurpassed for durability and weather resistance. Nets are made from 3.5 mm with 325# break strength or from 3.0 mm with 285# break strength.

HEADBANDS:

Headbands are constructed using heavy-duty vinyl coated polyester or durable polyester webbing material that withstands the elements and won't shrink, rot or mold. Headbands are sewn to the netting with four rows of #32 white polyester thread -the heaviest in the industry.

BOTTOM/SIDE POCKET TAPES:

Bottom and side pocket tapes are made of heavy-duty vinyl coated polyester and won't shrink, mildew or rot when exposed to the elements. The included 1/2" fiberglass dowels in the side pockets keep the net taut for a professional appearance. Heavy duty brass grommets and lacing cord lets you pull the net snugly up to each post.

CABLE:

All Douglas® nets come complete with a vinyl coated, 5/32" galvanized steel cable with break strength of 2300#. Both ends have double-swaged loops.

OPTIONS:

Some tennis nets have double netting on the top five rows. This allows for increased durability of the net since the top rows are the area of the net that tennis balls hit the most leading to net fatigue. Tapered nets are also available, nets are tapered in the middle for a cleaner look and increased durability.



		Headband		Netting			
Item #	Net	Material	Weight	Size	Break Strength	Top 5 Rows Double Mesh	Warranty
PROFESSIONAL TENNIS NETS - - - USA Manufactured by Douglas® - - -							
20045	TN-45	Double thick 100% polyester	48 oz	3.5 mm	325 lb.	No	5 Year Warranty
CHAMPIONSHIP TENNIS NETS							
30036T	TN-36 -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	No	5 Year Warranty
30038TD	TN-36DMT -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.5 mm	325 lb.	Yes	5 Year Warranty
30060	TN-28DM	Durable Polyester Web	N/A	3.5 mm	325 lb.	Yes	5 Year Warranty
TOURNAMENT TENNIS NETS							
30029	TN-30	Vinyl Coated Polyester	32 oz./sq. yd.	3.0 mm	285 lb.	No	4 Year Warranty
30030	TN-30DM -tapered	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	Yes	4 Year Warranty
SPECIALTY TENNIS NETS							
20305	STN-36, 42"H x 32'9"L Singles Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
20008	PTN-28, 32"H x 21'10"L Paddle Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
20009	PLTN-28, 36"H x 23'L Platform Tennis Net	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
PICKLEBALL NETS							
20105	JTN-30, 36"H x 21'9"L Standard Pickleball	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
20103	PN-30, 31"H x 21'9"L Shorter Pickleball Height	Vinyl Coated Polyester, 2-ply	65 oz. (20 oz./sq. yd.)	3.0 mm	285 lb.	No	4 Year Warranty
BOTTOM TAPER OPTION							
20062	All tennis nets can be bottom fit by tapering the 42" end to 36" at center. This reduces the amount the net rubs on the court surface prolonging the life of the net.						



TN-30 | Deluxe Center Strap



TN-45



TN-36



TN-28DM

Adjustable Center Straps

All straps are made from heavy-duty 2" polyester white webbing, nickel plated web slides and snaps.

Velcro (Item # 20601)

Velcro adjustment, with swivel loop bolt snap

Classic (Item # 20603)

Non-slip reverse web slide with double ended snap


Deluxe (Item # 20600)

Two non-slip reverse web slides with swivel loop bolt snap

Center Pipe Anchor

(Item # 63428)

1.9" OD Galvanized Steel



Replacement Accessories

Replacement Cables

1/4" Galvanized steel cable is vinyl coated and looped each end.

47' Tennis Cable (RVC-47) (Item # 20647)

27' Pickleball Cable (RVC-27) (Item # 20627)



Lacing Cord

(TNLC) (Item # 10338)

Tennis net lacing cord includes (2) pieces of 4 mm white polyester braided cord 4' long and (2) pieces 3 mm braided polyethylene 15' long.

Cord 3 mm (Item # 10337)

500' spool of 3 mm braided polyethylene



Replacement Snaps

Loop Snap (Item # 10601)

2" replacement loop snap

Double Snap (Item # 10604)

Double ended bolt replacement snap

Singles Sticks

(Item # 34753)

Single sticks provide proper 42" net height for singles play.

These silver singles sticks are made from 3/4" aluminum with protective end caps and injection-molded "V" groove for the net headband. Sold per pair.



Douglas® Tennis Posts



○ Premier™ XS Posts

Plated Gears	Green (Item # 63032)
	Black (Item # 63034)
	Open Blue (Item # 63033)
Stainless Steel Gears	Green (Item # 63032SS)
	Black (Item # 63034SS)
Brass Gears	Green (Item # 63032BR)
	Black (Item # 63034BR)

2-7/8"

The Premier™ XS Series is the Cadillac of tennis posts; providing first-class looks and durability for both indoor and outdoor court applications.

These 2-7/8" OD round posts are constructed of 8-gauge steel. Posts feature Allied's® superior Flo-coat® galvanization process and are then finished in forest green, black or open tournament blue baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation.

Posts are internally wound and feature a jam-free cable tensioning hardware system. Choose from plated steel, stainless steel or brass gears. Gear housings and caps are made of die-cast zinc. Gear function is 30:1 to ensure a smooth, easy operation. Flush mounted gear plate cover and removable handle are offered in chrome or brass finish.



Plated

Stainless Steel

Brass



CORRESPONDING GROUND SLEEVES:

24" PVC Ground Sleeve
(GS-24PVC) (Item # 63164)

24" Aluminum Ground Sleeve
(GS-24RD) (Item # 63171)



Featuring Allied's® Flo-coat®
A Superior Galvanization Process





Premier™ Series

These popular posts provide classic good looks and durability for either indoor or outdoor court applications.

The Premier™ 3" OD round () and 3" square (SQ) posts are constructed of heavy-duty 11-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. Flush mounted gear plate cover and removable handle are chrome plated.



○ Premier™ SQ


Green (item # 63053)
Black (item # 63054)

3"

CORRESPONDING GROUND SLEEVES:

24" Square Steel Ground Sleeve
(GS-24SQ/ST) (Item # 63425)

24" Square Aluminum Ground Sleeve
(GS-24SQ/AL) (Item # 63172)



○ Premier™ SQ Surface Mount Black (Item # 63060)

Eliminate ground sleeves and easily install these surface mount tennis posts indoor or outdoor. These surface mount posts boast all the features of the standard Premier™ SQ posts except they offer a heavy-duty bottom welded base plate to secure posts to the court's playing surface.

○ Premier™ RD Green (Item # 63050) Black (Item # 63051)

3"

CORRESPONDING GROUND SLEEVES:

24", 3" OD Steel Ground Sleeve
(GS-24) (Item # 63424)



○ Sidewinder

2-7/8"

Green (Item # 63001)
Black (Item # 63003)

3-1/2"

Green (Item # 63005)
Black (Item # 63005B)



These recreational workhorse posts are designed for tough wear making them ideal for parks or school tennis courts.

These classic external wind posts are constructed of 8 gauge steel in either 2-7/8" or 3-1/2" OD. The posts, external gears and handle are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The aluminum deluxe reel offers a smooth adjusting operation with a side mounted removable handle.



CORRESPONDING GROUND SLEEVES:
24" PVC (GS-24PVC) (Item # 63164)
24" Aluminum (GS-24RD) (Item # 63171)
24" Steel (GS-24) (Item # 63174)



○ DTP-37

Green (item # 63007)
Black (item # 63008)



The dependable DTP-37 post is a sturdy design that has been a tennis court staple for decades.

These 3" OD posts are comprised of extra-heavy 7-gauge steel. Posts are internally wound and feature a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear function is 30:1 to ensure a smooth, easy operation. The sleek gear housing and caps are made of cast aluminum alloy. Posts are finished in forest green or black baked-on polyester powder coat finish to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation. The side mounted removable handle is chrome plated.



CORRESPONDING GROUND SLEEVES:
24" Steel (GS-24) (Item # 63424)



○ Douglas® PPS-SQ Heavy-Duty Portable Tennis Systems

42' Standard Tennis Court 42"H x 42'L PPS-42SQ (Item # 63100)
Singles Tennis Courts: 42"h x 33'l, PPS-33SQ (Item # 63133)

These portable systems raise the bar and are the gold standard when permanent installation is not desired for either indoor or outdoor court applications.



Portable PPS-SQ systems are easy-to-assemble and offer the same long-lasting features as the classic Premier™ SQ tennis post. The 3" square tennis post is constructed from heavy-duty 11-gauge steel and are internally wound featuring a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Systems are finished with black baked-on polyester powder coat to resist rust and increase durability. Heavy-duty base frame is also constructed of 11-gauge 3" square steel and 3-1/2" square 3/16" heavy-wall steel. Net easily attaches with the top cable and to an eye-bolt on the base frame; no lacing rods are needed. Systems are complete with the 3.5 mm TN-28 tennis net and a Velcro center strap. Flush mounted gear plate cover and removable handle are chrome plated. System is available in (2) sizes, 42' x 42"H Standard Tennis and 33' x 42"H Singles Tennis. Custom sizes are available up to 42' long and 42" high. The transporter features heavy-duty non-scurf swivel casters; (2) End and (1) Center caster assembly. Casters allow unit to pivot one end at a time for smoother transportability.

○ Replacement Reels

Replacement reels for external wind tennis posts. All hardware is included and handles are removable. Finished with black or green powder coat finish.



Deluxe Reel

Green (Item # 53433)
Black (Item # 53433B)
Aluminum construction with a smooth operation.
Slotted to fit most posts.

Reel-1

Green (Item # 53432)
Black (Item # 53432B)
Heavy-duty steel construction with a smooth operation. Slotted to fit most posts.

○ Universal Replacement Caps

Baked on polyester powder coat finish

2-7/8" Green (Item # 53504)

Black (Item # 53504B)

3-1/2" Green (Item # 53505)

Black (Item # 53505B)



○ Ground Sleeve T-Plugs

Steel T-plugs to cover and fit into Douglas' ground sleeves. Finished with a black baked on polyester powder coat finish.



2-7/8" & 3" OD (Item # 63418)
3.5" OD (Item # 63419)
3" SQ (Item # 63420)
3.5" SQ (Item # 68155)

○ Ground Sleeves All ground sleeves are sold per pair

Round Ground Sleeves

24" long. PVC end plugs are included.

GS-24RD - 2-7/8" OD (Item # 63171)
Aluminum for all 2-7/8" OD round posts.

GS-24PVC - 2-7/8" OD (Item # 63164)
PVC for all 2-7/8" OD round posts.

GS-24

3" (Item # 63424)

3-1/2" (Item # 63174)


Round steel for all 3" and 3-1/2" OD round posts. PVC end plugs are not included with 3-1/2" OD.

Square Ground Sleeves

24" long for Premier™ SQ posts.

GS-24SQ/ST (Item # 63425)
Steel construction

GS-24SQ/AL (Item # 63172)
Aluminum construction





The Finest Courts In America Use Douglas® - Don't Settle for Less!

Douglas® offers a wide variety of tennis posts to meet each customer's specific needs and applications. Douglas® has been the leading American manufacturer of tennis posts for over 50 years. Whatever the situation Douglas® has the perfect fit.

	OUTER DIAMETER	STEEL GAUGE	INTERNAL WIND	ALLIED® FLO-COAT®	COLOR OPTIONS	BRASS OPTION	LACING RODS	PICKLEBALL HEIGHT
Premier™ XS	2-7/8"	8 - gauge	✓	✓	Green, Black, Open Tournament Blue	✓	✓	✓
Premier™ RD	3"	11 - gauge	✓	✗	Green, Black	✗	✓	✓
Premier™ SQ	3" Square	11 - gauge	✓	✗	Green, Black	✗	✓	✗✓
DTP-37	3"	7 - gauge	✓	✗	Green, Black	✗	✓	✗
Sidewinder 2-7/8	2-7/8"	8 - gauge	✗	✓	Green, Black	✗	✓	✓
Sidewinder 3-1/2	3-1/2"	8 - gauge	✗	✗	Green, Black	✗	✓	✗

✗✓ Premier SQ is available in pickleball and tennis surface mount and portable options



USA MANUFACTURER
OVER 50 YEARS EST.1967

1-800-553-8907
douglas-sports.com