





WINDSCREEN
quality custom products



The Douglas® Advantage

Douglas® is the leading USA manufacturer of windscreen, privacy screen and sport screen. With over 50 years of custom fabrication experience we have the highest and most strict material specifications in the industry. All Douglas® screens are specifically manufactured for tough outdoor conditions with UV and weather protection extruded in every fiber. The diverse line of windscreens offered by Douglas® ensures you can find the best material at the best price for any recreational or industrial application. Our sales representatives are highly knowledgeable and provide unparalleled service and support.

Quality

As the manufacturer, we control every aspect of the production process. Every piece of material goes through multiple quality control checks to ensure accuracy and precision. Douglas's® meticulous attention to detail guarantees consistent, quality craftsmanship every time.

Selection

Douglas® carries a complete line of premium windscreen fabrics in both polypropylene and vinyl coated polyester. Our wide range of materials includes both open and closed mesh fabrics, standard and custom colors and digital print ready. Our sales representatives will gladly guide you through the options and help you select the material that is best suited for your application.

Customization

Our screens are custom made to your exact specifications with any custom color, design, cut-out and size possible. We can assist with all aspects of your project such as graphic design, layout and drawings.

Service

We offer dependable customer service, and we still answer our phones; you will not get a recording during business hours. An experienced representative will be able to answer all your questions. Our team takes pride in quick response times with most online inquiries being answered in less than 24 hours. Our goal is your 100% satisfaction, and we work relentlessly to exceed your expectations.

USA Manufactured



Custom Graphics

Add digital printing to any VCP fabric and promote team spirit by adding your team affiliation, brand your facility with a company logo or simply add advertisements to support sponsors. Even simple lettering can make an enormous impact on the professional look on a facility.

Our elite printing process allows us to print directly on your material so there's no white back side like other digital printing companies. With the use of quality long lasting UV inks, your printing and logos become part of the material. The UV resistant inks keep their

vibrancy for years and no extra coating is needed. Your investment will not crack, peel, or tear like alternative vinyl decals. Our advanced digital printing technology allows for more detailed multi-color capabilities and has a quick turnaround and greater accuracy.

Your digital printing will last the lifespan of the fence screen it is printed on. We back the quality of our digital printing with the same warranty as our windscreen materials.



Windscreen Applications

○ Baseball & Softball Fence Screens

Fence screens are an invaluable addition to any ballpark facility with multiple uses and advantages. Dress up your ballpark and even solve safety problems with fence screen and accessories:

- Baseball outfield windscreens and fence cap
- Outfield distance markers
- Custom Batters Eye Screen
- Dugout Fronts, Covers and Rail Padding
- Bleacher Wraps
- Bleacher Shade Cover
- Concession & Entrance Fences



○ Tennis & Pickleball Courts

Windscreens are a great addition to complete any tennis or pickleball court because they offer many benefits including privacy, a solid background, wind reduction and just an overall more enhanced appearance. Unlike other sports facility fences, Tennis court chain link fences are typically 10 ft in height. The most common windscreen height that is ordered for a tennis court is 9 ft high and the screen is installed at the top of the fence leaving a foot at the bottom of the fence. This allows for routine mowing and weed eating without worrying about damaging the fence screens. Alternatively, some facilities prefer to order 6 ft high windscreens and center the panels on the 10 ft high fence.



○ Sport Fields

An invaluable addition to any sports field or stadium with multiple uses and advantages. The primary purpose of windscreen is to reduce wind and noise, increase privacy, gain player focus and gain an overall more enhanced appearance of the facility.




○ Construction & Business

An ideal way to cover the unsightly appearance of construction sites and redefine an area. Hanging windscreen around a construction site encloses the area, reduces wind, and provides an opportunity for additional branding and advertising.



○ Custom Bleacher Screens and Enclosures


Adding fence screen panels to the upper safety backs is a great area to enclose to not only block sun and glare but to use as an opportunity to add custom graphics. Meanwhile, bleacher screen enclosures increase safety and can transform an unsightly space into an attractive and useful part of your entire facility. The underside of bleachers often turns into an extra storage area and adding screens can conceal these items along with providing a level of weather protection. Bleacher screens and enclosures are custom made to your specifications from vinyl coated polyester. We can accommodate any custom angle or cut out area to ensure that your custom bleacher screens are a precise fit.



Court Facilities



Sports Fields



Ball Parks




Bleachers & Enclosures




Douglas® Selection

All Douglas® windscreen materials are made for all locations and weather conditions. All high-quality material options are UV treated, breathable and mildew resistant for maximum longevity. They are made to withstand the elements while keeping your facilities looking sharp. Choose from premium windscreen fabrics in both vinyl coated polyester (VCP) and polypropylene. Our range of materials include both open and closed mesh fabrics, standard and custom colors and full color digital printing.

Windscreens are available in standard 6 ft and 9 ft heights and in custom heights by request. Screen length is completely custom and made to order to the nearest inch; 60 ft is the maximum recommended length per panel.



Black



Dark Green



Yellow



Red



Navy Blue




Brown



White




Purple




Burgundy




Bright Green



Royal Blue



Orange



Gray



Open Blue

Vinyl Coated Polyester

This versatile and attractive windscreen fabric is durable and boasts great weather resistance. Vinyl Coated Polyester (VCP) screens are available in a variety of colors and custom digital printing and logos can be printed directly on the material.



Fabric: 50% vinyl, 50% polyester, Open (VCP) - 9 x 12 weave

Windbreak: Open - 80%

Weight per square yard: Open - 8 oz.

Tensile Strength: Open - 230 x 200

Colors:

Standard Colors: Dark Green or Black

Additional Colors: Open Tournament Blue, Royal Blue, Red and Navy Blue


Special Order Colors:

Yellow, White, Purple, Orange, Burgundy, Gray, Brown or Bright Green


Warranty: 3-Year Limited



Black



Dark Green



Open Tournament Blue

VCP Max™

VCP Max goes one step further by offering maximum tensile strength and visual blockage. At 85% windbreak, VCP Max allows more airflow than closed mesh screens, but provides a better visual background than open mesh screens. This versatile and attractive windscreen fabric is durable and boasts great weather resistance. Custom digital printing and logos can be printed directly on the material.



Fabric: 16 x 17 weave


Windbreak: 85%

Weight per square yard: 10 oz.

Tensile Strength: 395 x 401

Colors: Dark Green, Black or Open Tournament Blue

Warranty: 4-Year Limited



Black



Dark Green

PolyPro™ Plus Premium

This 100% Polypropylene material is a vented open mesh windscreen pattern that allows air to easily pass through while still offering privacy. This open fence screen material puts the least amount of strain on your fence making it ideal for taller fences and windy areas where high airflow is a requirement. PolyPro™ Plus is a highly durable leno weave material that is heat-set so your screens will never shrink or change shape. Weather and UV protection is extruded into every fiber of the Polypropylene windscreen for maximum performance and longevity.



Fabric: 100% polypropylene;

OMP: Open Mesh -

28 x 14 leno weave

CMP: Closed Mesh -

30 x 16 leno weave

Windbreak: Open - 85%
Closed - 95%

Weight per square yard:
Open - 7 oz.
Closed - 8 oz.

Tensile Strength: Open - 380 x 185
Closed - 450 x 215

Colors: Dark Green or Black

Warranty: 4-Year Limited

Douglas® Quality Fabrication

All our windscreen fabrics are custom made to order; we custom cut all panels to exact sizes to ensure an accurate fit. As the manufacturer we control every aspect of the production process. Every piece of material goes through quality control checks to ensure accuracy and precision. We pay meticulous attention to detail and guarantee consistent, quality craftsmanship. Every time.

Each panel perimeter is reinforced with Douglas® 3-ply or 4-ply extra-strong hems. These durable, lock stitched sewn hems are seamed with solid vinyl inserts that are double sewn to 1-1/2 inches wide. Hems are a durable bond that will not tear, unravel, or come apart in even the harshest weather conditions. Other methods for perimeter

reinforcement include chain stitching which can unravel, or heat sealing, which bonds the material together instead of sewing. Heat-sealing can come unbonded over time creating an unfinished border for your material.

No detail of fabrication is overlooked, even the thread quality matters because it holds everything together. We use thick, UV protected polyester thread to ensure that our seams last. #2 brass grommets are placed every 12 inches on the sides and 18 inches on the top and bottom of the fence screen panels. Having a screen that is evenly secured tightly to a fence minimizes maintenance and increases longevity.



VCP with 3-Ply Hems

○ Douglas® Extra Strong Hems

All panel perimeters are reinforced with durable lock-stitched sewn hems seamed with vinyl. #2 brass grommets are spaced every 12" on panel sides and every 18" along the top and bottom.

VCP and VCP MAX™ fabrics are hemmed with Douglas's 3-ply extra-strong hems. These durable sewn hems are seamed with solid vinyl inserts that are double sewn to 1-1/2 inches wide.

PolyPro™ Plus (OMP) windscreen material is hemmed with Douglas's 4-ply extra-strong hems. These durable hems include solid vinyl inserts as well as an 18 oz vinyl overlay and are double sewn to 1-1/2 inches wide.



OMP with 4-Ply Hems

○ Douglas® Center Reinforcement

When installing windscreens, center reinforcement is recommended for anti-billowing on all panels that are taller than 6 ft and where strong winds prevail. Center reinforcement allows the screen to be secured to the middle of the fence with tie wraps or lacing cord attachment. All Douglas® windscreens over 6 ft in height include a center tab with grommets.

(TAB) VCP and VCP MAX™ fabrics are sewn with 18 oz black vinyl and grommets are placed every 18 inches to secure the screen to the fence. The reinforcement tab is only visible on the backside of the fence screen for a cleaner installed appearance.

(TAB) PolyPro™ Plus (OMP) windscreen material are reinforced with Center tabs that are double stitched with 3" wide heavy polyester webbing and grommets are placed every 18" to secure the screen to the fence. The center tab grommets are only placed on the webbing and do not go through the fence screen material. This results in a cleaner installed appearance with no visible grommets on the front side of the material.

(CRT) Center Reinforcement Tape


Optionally, 9' screens may substitute a Center Reinforcement Tape (CRT). CRT's are double stitched with 1-1/2" wide heavy polyester webbing and grommets are placed every 18". Unlike, standard Center Tabs, with Reinforcement tape, grommets are secured through the fabric and webbing; making the grommets visible on the front side of the fabric. With this method grommets can be laced to the fence with braided rope.



VCP with Center Tab



OMP with Center Tab



OMP with (CRT)
Center Reinforcement Tape



○ Air Vents

Optional air vents allow air to pass through and help take the strain off your fence and windscreen. Air vents are recommended for screens taller than 6 ft and where high winds prevail.

Die-Cut (AV) (Item # 21001)

Standard air vents are a die-cut and heat sealed in a half moon shape. Air vents measure 8" wide and are 5" high and are cut out on 10 ft intervals on center. AV vents are recommended and are only available on vinyl-coated polyester material.

Reinforced (AVR) (Item # 21002)

The Douglas® AVR vents are rectangular sewn cut outs that measure 10" wide x 8" high. These vents are perimeter hemmed with polyester webbing and are placed at 10 ft intervals on center. AVR vents can be cut into any windscreen material.




Warranty

The warranty varies per material. Our custom Windscreens have a minimum warranty of 3 years against material defects and poor workmanship.




Privacy Screen

This lightweight material is tear resistant and will not unravel. Construction is 100% high density polyethylene that is weather resistant and UV stabilized. The material will not fade or deteriorate from natural elements and is also resistant to mold and mildew. Privacy Screen is purchased by the roll and can be cut-on-site or can be purchased in 50 foot prefinished hemmed and grommeted panels. Rolls feature reinforced top and bottom sides for attachment to any fence with tie-raps.



Black




Dark Green



Brown



Beige



Blue

Construction	85 – 90% Knit Raschel
Fiber Content	100% High Density Polyethylene
Colors:	Dark Green, Black, Blue, Brown and Beige
Warranty:	4-year limited

This fence screen is an inexpensive solution for athletic fields, dugouts, bleachers or any other location where privacy or shade is desired.

○ Douglas® Privacy Screen Options

Unfinished Rolls (Cut-on-site)

44" x 150', for 4' fence (Item # 36924)
68" x 150', for 6' fence (Item # 36928)
92" x 150', for 8' fence (Item # 36932)



Reinforced Hem

To maximize strength, optional reinforced hems with grommets can be applied to the top and bottom edges. Hems will reduce the overall roll height.

Finished Panels

Panels are finished with perimeter hems and grommets for extra reinforcement.

68" x 50' Panels
Green (Item # 26928G)
Black (Item # 26928B)

92" x 50' Panels
Green (Item # 26932G)
Black (Item # 26932B)



Digital Printing

Customize your privacy screen with digital graphics to meet your project's needs.

Installation Accessories



Tie Wraps

These industrial tie wraps have a plastic insert and are recommended for installation. Sold in packages of 100 quantity.

TR-50P (Item # 31656)
7" Tie wrap, 50 lb. break strength
TR120P (Item # 31657)
8" Tie wrap, 120 lb. break strength
TR-50XL (Item # 31651)
12" Tie wrap, 50 lb. break strength

TR-120XL (Item # 31655)
14" Tie wrap,
120 lb. break strength
TR-120XL (Item # 31652)
17" Tie wrap,
120 lb. break strength



Plastic C-Snap


SH-3 (Item # 31663)
3" galvanized "S" hooks

C-3P (Item # 32675)
3" plastic C-snap

BNC (Item # 31600)
Braided lacing cord 600' reels

BLR (Item # 31601M)
Braided lacing rope black poly 3/16"
1000' reels 550 lb. break strength





USA MANUFACTURER
OVER 50 YEARS EST.1967

1-800-553-8907
douglas-sports.com