


PARTS LIST:

UNITS	REF #	DESCRIPTION
12	1	Poles, 4" square steel x 14'
12	2	24" Aluminum ground sleeve for 4" square pole
12	3	Black top cap
4	4	Corner pole collars 4-1/2" sq. x 4"
6	5	Double pole collars 4-1/2" sq x 4"
9	7	Crossbars 2" O.D. x 14'8"
27	8	Round collars with 2" eyebolt
18	9	TB-6, 6" Turnbuckles
36	10	Cable Clamps, 1/4"
3	11	300' 1/4" Cable Spool
300		8mm Carabiner Clips



POST LAYOUT/SPACING:

Post spacing for the width should be 15' (center-to-center of poles).

For the length, add 5' to the net length (usually 55', 70' or 75' – so posts would be 60', 75' or 80').

HARDWARE & NET INSTALLATION:

1. The (6) long cables should be cut 5' longer than the post spacing to allow for making loops.
2. Install the hardware as shown in the main layout diagram and Figures 2 & 3.
3. Unroll the nets and lay on the ground inside the frame, locate the top border ropes.
4. Starting at one corner attach the top ropes of the net to the cables with carabiner clips, spaced every 3' per Figure 4.
5. Repeat for the other nets.

FIGURE 1





FIGURE 2
END SECTIONS
NOT TO SCALE




FIGURE 3
MIDDLE SECTION
NOT TO SCALE

